



Appendix D. Species Associated with Bolivian Wetlands

Key to Habits: HR, Rheophytic herb; HL, Lithophytic herb; CF, Cushion-forming herb; HT, Trailing Herb; HA, Annual Herb; HP, Perennial Herb; HA/P, Annual or Perennial Herb; HF-F, Free-Floating Herb; HS, Submerged herb; HSA, Suspended Aquatic Herb; HF-S, Herb with floating stems and/or petioles; FM-F, Floating Mat-forming Herb; RFL, Rooted macrophyte with floating leaves; H, Herb; PS-W, Sub-woody Perennial; PSF, Suffrutescent Perennial; S-S, Sub-shrub; S, Shrub; TU, Understory Tree; T, Tree; CL, Climber; LN, Liana. Life-forms were as could be determined from descriptions in the literature, live material, and herbarium specimens. Species without an “+” for a particular region are those that are known for Bolivia, but which couldn’t be ascribed to one of these regions.

PTERIDOPHYTES

	Habit	Gran Chaco	Bosque Tucumano-Boliviano	Andean Slopes	Gran Pantanal	Chiquitanía	White-water Floodplain	Andean Piedmont	Chapare	Valles Secos	Cloud Forest	High Andean
Adiantaceae												
<i>Pityrogramma calomelanos</i> (L.) Link	H						+	+	+	+	+	+
<i>Pityrogramma trifoliata</i> (L.) R. Tryon	H			+	+							
Azollaceae												
<i>Azolla caroliniana</i> Willd.	H	+	+	+			+	+	+			
<i>Azolla filiculoides</i> Lam.	H			+					+			
<i>Azolla mexicana</i> C. Presl.	HF-F	+					+	+	+	+		
<i>Azolla microphylla</i> Kaulf.	H								+			
Azollaceae												
<i>Blechnum loxense</i> (H. B. K.) Solomon	H											
<i>Blechnum serrulatum</i> Rich.	H								+	+		
Dennstaedtiaceae												
<i>Dennstaedtia bipinnata</i> (Cav.) Maxon	H	+										
Dryopteridaceae												
<i>Dryopteris rivulariformis</i> Rosenst.	H											
Equisetaceae												
<i>Equisetum bogotense</i> Kunth	H	+	+	+								+
<i>Equisetum giganteum</i> L.	H			+		+						
<i>Equisetum pyramidale</i> Goldm.	H											
Isoëtaceae												
<i>Isoëtes baculata</i> Hickey & Fuchs	HS	+										
<i>Isoëtes boliviensis</i> U. Webber	HS	+										
<i>Isoëtes eshbaughii</i> Hickey	HS											
<i>Isoëtes glacialis</i> E. Asplund	HS	+										
<i>Isoëtes herzogii</i> U. Weber	HS	+	+									

	Habit	Gran Chaco	Bosque Tucumano- Boliviano	Andean Slopes	Gran Pantanal	Chiquitanía	White-water Floodplain	Andean Piedmont	Chapare	Valles Secos	Cloud Forest	High Andean
<i>Isoëtes lechleri</i> Mett.	HS								+			
<i>Isoëtes panamensis</i> Maxon & C. V. Morton	HS											
<i>Isoëtes pedersenii</i> H.P. Fuchs ex Hickey	HS											
Lycopodiaceae												
<i>Lycopodiella alopecuroides</i> (L.) Cranfill	H											+
<i>Lycopodiella caroliniana</i> (L.) Pic. Serm.	H											+
<i>Lycopodiella pendulina</i> (Hook.) B. Øllg.	H											+
Hymenophyllaceae												
<i>Trichomanes hostmannianum</i> (Klotzsch) Kunze	HR											+
<i>Trichomanes radicans</i> Swartz	H											
Marsileaceae												
<i>Marsilea aenylopoda</i> A. Br.	H	+										
<i>Marsilea crotophora</i> D. M. Johnson	RFL	+							+	+		
<i>Marsilea polycarpa</i> Hook. et Grev.	RFL								+	+		
<i>Pilularia americana</i> A. Braun	HS	+										
Ophioglossaceae												
<i>Ophioglossum nudicaule</i> L. f.	H								+			
Parkeriaceae												
<i>Ceratopteris pteridoides</i> (Hook.) Hieron	HF-F								+	+	+	+
Parkeriaceae												
<i>Acrostichum danaeifolium</i> Langsd. & Fisch.	H								+	+		
Salviniaceae												
<i>Azolla caroliniana</i> Willd.	H	+	+	+					+	+	+	
<i>Azolla filiculoides</i> Lam.	H	+		+						+		
<i>Azolla mexicana</i> C. Presl.	HF-F	+							+	+	+	+
<i>Azolla microphylla</i> Kaulf.	H									+		
<i>Salvinia auriculata</i> Aubl.	HF-F								+	+	+	
<i>Salvinia minima</i> Baker	HF-F								+	+	+	+
Thelypteridaceae												
<i>Macrothelypteris torresiana</i> (Gaudich.) Ching	HP											
<i>Thelypteris angustifolia</i> (Willd.) Proctor	HP											
<i>Thelypteris interrupta</i> (Willd.) Iwatsuki	H								+	+	+	+
<i>Thelypteris serrata</i> (Cav.) Alston	H								+	+	+	+
Woodsiaceae												
<i>Diplazium striatum</i> (L.) Presl.	H											

DICOTYLEDONS

		Gran Chaco									
	Bosque Tucumano- Boliviiano										
	Andean Slopes										
	Gran Pantanal										
	Chiquitanía										
	White-water Floodplain										
	Andean Piedmont										
	Chapare										
	Valles Secos										
	Cloud Forest										
	High Andean										
	Habit										
<i>Mesechites sanctae-crucis</i> (S. Moore) Woodson	NK										
<i>Rhabdadenia biflora</i> (Jacq.) Müell. Arg.	CL										
<i>Rhabdadenia macrostoma</i> (Benth.) Müell. Arg.	CL										
<i>Rhabdadenia pohlii</i> Müell. Arg.	CL										
<i>Tabernaemontana catharinensis</i> A. DC.	NK										
<i>Tabernaemontana rupicola</i> Benth.	S										
<i>Thevetia bicornuta</i> Müell. Arg.	S										
Aquifoliaceae											
<i>Ilex inundata</i> Poepp. ex Reissek	TU										
Asclepiadaceae											
<i>Cynanchum montevidense</i> Spreng.	CL										
<i>Matelea rivularis</i> Woodson	LH										
<i>Sarcostemma clausum</i> (Jacq.) Schult. in Roem. & Schult.	CL										
<i>Tassadia cf. grazielae</i> Fontana	CL										
Asteraceae											
<i>Acmella alba</i> (L'Hér.) R. K. Jansen	H										
<i>Ageratum conyzoides</i> L.	H										
<i>Ambrosia peruviana</i> Willd.	H										
<i>Aspilia lucidula</i> Blake	H										
<i>Baccharis juncea</i> (Lehm.) Desv.	H										
<i>Baccharis salicifolia</i> Nutt.	PS-W										
<i>Baccharis trimera</i> (Less) DC.	PS-W										
<i>Barrosoa candolleana</i> (Hook. & Arn.) R. M. King & H. Rob.	H										
<i>Barrosoa confluentis</i> (B. L. Rob.) R. M. King & H. Rob.	HP										
<i>Bidens laevis</i> (L.) Britton, Sterns & Poggenb.	H										
<i>Chromolaena laevigata</i> (Lam.) R. M. King & H. Rob	S										
<i>Cotula australis</i> (Sieb. ex Spreng) Hook.f	H										
<i>Cotula coronopifolia</i> L.	HF-S										
<i>Cotula mexicana</i> (DC.) Cabr.	H										
<i>Eclipta prostrata</i> (L.) L.	HA/P										
<i>Emilia sonchifolia</i> DC.	H										
<i>Enhydra anagallis</i> Gardner	H										
<i>Erechtites hieraciifolia</i> (L.) Raf. ex DC.	HA										
<i>Gamochaeta americana</i> (Miller) Wedd.	H										
<i>Gymnocoronis spilanthoides</i> DC.	H										
<i>Jaegeria hirta</i> (Lag.) Less.	H										

		Gran Chaco							
	Bosque Tucumano- Boliviiano								
	Andean Slopes								
	Gran Pantanal								
	Chiquitanía	+	+	+	+	+	+	+	+
	White-water Floodplain	+	+	+	+	+	+	+	+
	Andean Piedmont	+	+	+	+	+	+	+	+
	Chapare								
	Valles Secos								
	Cloud Forest								
	High Andean								
	Habit								
<i>Lepidaploa remotiflora</i> (L. C. Rich) H. Rob.	H								
<i>Melanthera latifolia</i> (Gardner) Cabrera	H								
<i>Mikania congesta</i> DC.	CL			+	+	+	+		
<i>Mikania cordifolia</i> Willd.	CL								+
<i>Mikania micrantha</i> Kunth	CL					+	+	+	
<i>Mikania psilostachya</i> DC.	CL			+		+	+		
<i>Milleria quinqueflora</i> L.	NK								
<i>Oritrophium limnophilum</i> (Sch. Bip.) Cuatrec.	H	+	+						
<i>Pacourina edulis</i> Aubl.	H						+	+	
<i>Plagiocheilus solivaeformis</i> DC.	NK								
<i>Pluchea absinthioides</i> (Hook. & Arn.) H. Rob.	H		+						
<i>Pluchea sagittalis</i> (Lam.) Cabr.	H		+		+	+	+		
<i>Senecio bonariensis</i> Hook. & Arn.	H			+					
<i>Sigesbeckia jorullensis</i> H.B.K.	H		+						
<i>Struchium sparganophorum</i> (L.) Kuntze	H							+	
<i>Tagetes filifolia</i> Lag.	H		+						
<i>Tessaria integrifolia</i> Ruiz & Pavón	TU	+	+	+	+	+			+
<i>Trichospira verticillata</i> (L.) Blake	H						+		
<i>Vernonanthura brasiliiana</i> (L.) H. Rob.	S					+	+	+	
<i>Vernonia rubricaulis</i> H.B.K.	S						+		
<i>Werneria marcida</i> S. F. Blake	H	+							
<i>Werneria pygmaea</i> Gill ex. Hook.	H	+							
<i>Werneria spathulata</i> Wedd.	H	+							
<i>Wulffia baccata</i> O. Kuntz	H						+	+	
Begoniaceae									
<i>Begonia cucullata</i> Willd.	H						+		+
<i>Begonia fischeri</i> Schrank	H				+	+	+	+	
Bignoniaceae									
<i>Arrabidaea bilabiata</i> (Sprague) Sandwith	CL						+		
<i>Tabebuia barbata</i> (E. Mey.) Sandwith	T						+		
<i>Tabebuia heptaphylla</i> (Vell.) Toledo	T						+	+	
<i>Tabebuia insignis</i> (Miquel) Sandw/	T						+	+	+
<i>Tabebuia nodosa</i> Griseb.	T						+	+	
Bombacaceae									
<i>Ceiba pentandra</i> (L.) Gaertn.	T						+	+	
<i>Pachira aquatica</i> Aubl.	T							+	

	Habit	White-water Floodplain	Andean Piedmont	Chiquitania	Chapare	Valles Secos	Cloud Forest	High Andean	Gran Chaco	Bosque Tucumano-Boliviano
<i>Pseudobombax munguba</i> (Mart. & Zucc.) Dugand	T									
Boraginaceae										
<i>Cordia tetrandra</i> Aubl.	T			+	+	+				
<i>Heliotropium curassavicum</i> L.	H			+						
<i>Heliotropium filiforme</i> Lehm.	H					+				
<i>Heliotropium indicum</i> L.	PS-W					+				
<i>Heliotropium lagoense</i> (Warm.) Gürke	H						+			
<i>Myosotis scorpioides</i> L.	H	+								
Brassicaceae										
<i>Cardamine bonariensis</i> Juss. ex Pers.	H	+	+	+						
<i>Nasturtium officinale</i> R. Br.	H	+		+						
<i>Rorippa bonariensis</i> (Poiret) Macloskie	H			+						
<i>Rorippa nana</i> (Schltdl.) J.F. Macbr.	H	+								
<i>Rorippa nasturtium-aquaticum</i> (L.) Hayek	H									
Cabombaceae										
<i>Cabomba furcata</i> Schultes & Schultes.f	HS				+	+	+	+	+	
Callitrichaceae										
<i>Callitriche albomarginata</i> Fassett	HS	+	+							
<i>Callitriche heteropoda</i> Engelm. ex Hegelm.	HS	+	+	+						
Calyceraceae										
<i>Acicarpha tribuloides</i> Jussieu	H			+						
Campanulaceae										
<i>Sphenoclea zeylanica</i> Gaetn.	HA/P				+	+	+	+		
Capparaceae										
<i>Cleome hassleriana</i> Chodat	H									
<i>Cleome spinosa</i> Jacq.	PS-W								+	+
<i>Crataeva tapia</i> L.	TU									+
Caryophyllaceae										
<i>Cerastium nutans</i> Raf.	H	+	+							
<i>Cerastium rivulare</i> Camb. in St.-Hil.	H									
<i>Drymaria glandulosa</i> C. Presl.	H									+
<i>Sagina procumbens</i> L.	H	+								+
<i>Stellaria ovata</i> Willd. ex Schlecht.	H									
Celastraceae										
<i>Hippocratea volubilis</i> L.	CL				+	+	+			
<i>Peritassa laevigata</i> (Hoffmssg.) A. C. Smith	NK				+	+	+			

															Gran Chaco
															Bosque Tucumano- Boliviiano
															Andean Slopes
															Gran Pantanal
															Chiquitanía
															White-water Floodplain
															Andean Piedmont
															Chapare
															Valles Secos
															Cloud Forest
															High Andean
															Habit
Chenopodiaceae															
<i>Chenopodium album</i> L.		H													
Chrysobalanaceae															
<i>Couepia uiti</i> Bentham	T														+
<i>Hirtella triandra</i> Sw.	T							+		+	+				
<i>Licania britteniana</i> Fritsch	T									+	+				
<i>Licania heteromorpha</i> (C. Mart. ex Hook. f.) Benth.	T									+	+				
<i>Parinari campestris</i> Aubl.	S											+			
Clusiaceae															
<i>Calophyllum brasiliense</i> Cambess.	T							+							
<i>Symponia globulifera</i> L.f.	T											+			
<i>Vismia lauriformis</i> (Lam.) Choisy	S										+				
Combretaceae															
<i>Buchenavia macrophylla</i> Eichler	T											+			
<i>Combretum lanceolatum</i> Pohl	S									+	+	+			
<i>Combretum laxum</i> Jacq.	LN									+	+				
Convolvulaceae															
<i>Aniseia cernua</i> Moric.	CL									+	+				
<i>Aniseia martinicensis</i> (Jacq.) Choisy	CL									+	+	+	+		
<i>Ipomoea alba</i> L.	CL									+	+	+			
<i>Ipomoea anisomeres</i> B.L. Rob. & Bartlett	CL										+				
<i>Ipomoea carnea</i> Jacq. subsp. <i>fistulosa</i> (Choisy) Austen	PS-W									+	+	+			
<i>Ipomoea rubens</i> Choisy	CL									+	+	+			
<i>Ipomoea setifera</i> Poir	CL										+				
<i>Ipomoea squamosa</i> Choisy in DC.	CL										+				
<i>Ipomoea subrevoluta</i> Choisy	CL										+	+			
<i>Merremia umbellata</i> (L.) Hall f.	CL									+	+	+	+		
<i>Operculina hamiltonii</i> (G. Don) D.F. Austin & Staples	CL											+			
<i>Stictocardia tiliifolia</i> (Desr.) Hallier f.	CL												+		
<i>Tetralocularia pennellii</i> O'Donnell	CL										+	+			
Crassulaceae															
<i>Crassula peduncularis</i> (Sm.) Meigen	H	+													
<i>Crassula venezuelensis</i> (Steyer.) Bywater & Wilkins	HS	+	+	+											
Cucurbitaceae															
<i>Cayaponia podantha</i> Cogn.	CL												+		
<i>Cyclanthera hystrix</i> (Gill.) Arn.	CL	+	+												

		Gran Chaco										
	Bosque Tucumano- Boliviano											
	Andean Slopes											
	Gran Pantanal											
	Chiquitanía	+										
	White-water Floodplain											
	Andean Piedmont	+										
	Chapare											
	Valles Secos											
	Cloud Forest											
	High Andean											
	Habit											
<i>Melothria pendula</i> L.	CL											
Droseraceae												
<i>Drosera communis</i> A. St. Hil.	H											+
<i>Drosera sessilifolia</i> A. St. Hil.	H											+
Ebenaceae												
<i>Diospyros nur</i> B. Walln.	T											+
<i>Diospyros yomomo</i> B. Walln.	T											+
Elatinaceae												
<i>Elatine peruviana</i> Baehni & Macbr.	HS	+	+									
<i>Elatine triandra</i> Schkuhr	HS	+										
Euphorbiaceae												
<i>Alchornea castaneifolia</i> (Willd.) A. Juss.	Shrub											+
<i>Alchornea schomburgkii</i> Klotzsch	T											+
<i>Caperonia castaneifolia</i> (L.) A. St.-Hil.	HF-S											+
<i>Caperonia palustris</i> (L.) Saint-Hilaire	HA/P											+
<i>Chamaesyce hirta</i> (L.) Millsp.	H											+
<i>Chamaesyce thymifolia</i> (L.) Millsp.	H											+
<i>Croton argenteus</i> L.	S											+
<i>Euphorbia peplus</i> L.	H											
<i>Hura crepitans</i> L.	T											+
<i>Mabea nitida</i> Spruce ex Benth.	T											+
<i>Maprounea guianensis</i> Aubl.	T											+
<i>Phyllanthus fluitans</i> Müell. Arg.	HF-F											+
<i>Phyllanthus hyssopifoloides</i> Kunth	H											+
<i>Phyllanthus lindbergii</i> Müell. Arg.	H											+
<i>Phyllanthus niruri</i> L.	H											
<i>Phyllanthus stipulatus</i> (Raf.) Webster	H											+
<i>Sapium obovatum</i> Klotzsch ex Müll. Arg.	T											+
<i>Sebastiania corniculata</i> (Vahl) Müll. Arg.	H											+
Fabaceae												
<i>Acacia farnesiana</i> (L.) Willd.	S											
<i>Acosmium nitens</i> (Vogel) Yakovlev	T											+
<i>Aeschynomene americana</i> L.	H											+
<i>Aeschynomene ciliata</i> Vog.	HA											+
<i>Aeschynomene denticulata</i> Rudd	S											+
<i>Aeschynomene fluminensis</i> Vell.	PS-W											+

				Gran Chaco	
				Bosque Tucumano- Boliviiano	
				Andean Slopes	
				Gran Pantanal	
				Chiquitanía	+
				White-water Floodplain	+
				Andean Piedmont	+
				Chapare	+
				Valles Secos	+
				Cloud Forest	+
				High Andean	+
	Habit				
<i>Aeschynomene montevidensis</i> Vogel	NK				
<i>Aeschynomene pratensis</i> Small	PS-W		+	+	
<i>Aeschynomene rудis</i> Benth.	HP		+	+	+
<i>Aeschynomene scabra</i> G. Don	S			+	
<i>Aeschynomene sensitiva</i> Swartz	H			+	+
<i>Albizia guachapele</i> (Kunth) Dugand	T				
<i>Albizia polyantha</i> (Sprengel f.) G.P. Lewis	T			+	+
<i>Andira inermis</i> (W. Wright) Kunth ex DC.	T				+
<i>Bauhinia bauhinioides</i> (Mart.) J.F. Macbr.	T			+	+
<i>Bergeronia sericea</i> Micheli	T			+	+
<i>Bowdichia virgiliooides</i> Kunth	T			+	+
<i>Calopogonium caeruleum</i> (Benth.) Sauv.	CL			+	
<i>Camptosema paraguariense</i> (Chodat & Hassl.) Hassl.	CL				+
<i>Cassia grandis</i> L. f.	T				+
<i>Centrosema bifidum</i> Benth	CL			+	+
<i>Centrosema brasiliannum</i> (L.) Benth.	CL			+	+
<i>Centrosema pubescens</i> Benth.	CL			+	+
<i>Centrosema vexillatum</i> Benth.	CL			+	+
<i>Crotalaria pilosa</i> Mill.	S			+	
<i>Dalbergia riedelii</i> (Benth.) Sandw.	TU			+	
<i>Desmodium barbatum</i> (L.) Benth.	PS-W			+	+
<i>Desmodium subsecundum</i> Vogel	S				+
<i>Dioclea burkartii</i> Maxwell	CL				+
<i>Discolobium pulchellum</i> Benth.	S				+
<i>Dolichopsis paraguariensis</i> Hassl.	HT				
<i>Erythrina crista-galli</i> L.	T				
<i>Erythrina fusca</i> Loureiro	T			+	
<i>Goldmania paraguensis</i> (Benth.) Brenan	T			+	+
<i>Inga edulis</i> Mart.	T			+	+
<i>Inga umbellifera</i> (Vahl) Steud. ex DC.	T		+	+	+
<i>Machaerium inundatum</i> (Mart. ex Benth.) Ducke	T				+
<i>Machaerium leiophyllum</i> (DC.) Benth.	T				+
<i>Macrolobium acaciifolium</i> (Benth.) Benth.	T				+
<i>Macrolobium angustifolium</i> (Benth.) R.S. Cowan	T				
<i>Macrolobium multijugum</i> (DC.) Benth.	T				+
<i>Macroptilium gracile</i> (Poepp. ex Benth.) Urb.	NK				+

		Gran Chaco					
	Bosque Tucumano- Boliviiano						
	Andean Slopes						
	Gran Pantanal						
	Chiquitanía						
	White-water Floodplain						
	Andean Piedmont						
	Chapare						
	Valles Secos						
	Cloud Forest						
	High Andean						
	Habit						
<i>Macroptilium lathyroides</i> (L.) Urb.	H						
<i>Mimosa debilis</i> Humb. & Bonpl. ex Willd.	HP						
<i>Mimosa pigra</i> L.	S			+	+	+	+
<i>Mimosa schrankioides</i> Benth.	S					+	
<i>Mimosa weddelliana</i> Benth.	S						+
<i>Mimosa xanthocentra</i> C. Martius s.l.	S					+	+
<i>Neptunia natans</i> (L.f.) Druce	HF-S					+	+
<i>Neptunia plena</i> (L.) Benth.	S					+	+
<i>Parkinsonia aculeata</i> L.	S						
<i>Pithecellobium dulce</i> (Roxb.) Benth.	T						
<i>Pterocarpus santalinoides</i> L'Her. ex DC.	TU					+	+
<i>Sclerolobium aureum</i> (Tul.) Baill.	T						+
<i>Senna aculeata</i> (Pohl ex Benth.) H.S. Irwin & Barneby	S					+	+
<i>Senna alata</i> (L.) Roxb.	S					+	+
<i>Senna pendula</i> (H. & B. ex Willd.) H. S. Irwin & Barneby	S					+	+
<i>Senna reticulata</i> (Willd.) H.S. Irwin & Barneby	T						+
<i>Senna splendida</i> (Vogel) H. S. Irwin & Barneby	S					+	+
<i>Sesbania exasperata</i> Kunth	S					+	+
<i>Sesbania virgata</i> (Cav.) Pers.	S						+
<i>Stylosanthes acuminata</i> M. B. Ferreira & S. Costa	NK						+
<i>Trifolium amabile</i> Kunth	H	+					
<i>Vigna adenantha</i> (G. F. Meyer) Maréchal	CL					+	
<i>Vigna lasiocarpa</i> (C. Mart. ex Benth.) Verdc.	CL					+	+
<i>Vigna longifolia</i> (Benth.) Verdc.	CL					+	+
<i>Vigna luteola</i> (Jacq.) Benth.	CL					+	+
<i>Vigna peduncularis</i> Fawc. & Rendle	CL					+	+
<i>Zygia inaequalis</i> (Humb. & Bonpl. ex Willd.) Pittier	TU						
<i>Zygia latifolia</i> (L.) Fawc. & Rendle	T					+	
Flacourtiaceae							
<i>Casearia aculeata</i> Jacq.	S				+	+	+
<i>Casearia grandiflora</i> Cambess.	T						+
<i>Laetia corymbulosa</i> Spruce ex Benth.	T						+
<i>Laetia suaveolens</i> (Poeppig) Benth.	S				+		
Gentianaceae							
<i>Coutoubea ramosa</i> Aubl.	H					+	+
<i>Curtia tenuifolia</i> (Aubl.) Knobl.	H						+

		Gran Chaco						
	Bosque Tucumano- Boliviiano							
	Andean Slopes							
	Gran Pantanal							
	Chiquitanía							
	White-water Floodplain							
	Andean Piedmont							
	Chapare							
	Valles Secos							
	Cloud Forest							
	High Andean							
Habit								
<i>Gentiana sedifolia</i> Kunth	H							
<i>Irlbachia caerulescens</i> (Aubl.) Griseb.	H						+ +	
<i>Schultesia australis</i> Gris.	H						+ +	
<i>Schultesia brachyptera</i> Cham.	H						+ +	
<i>Schultesia guianensis</i> (Aubl.) Malme	H						+ +	
Gesneriaceae								
<i>Sinningia elatior</i> (Kunth) Chautems	H						+ +	
<i>Sinningia sceptrum</i> (Mart.) Wiegler	H						+ +	
Haloragaceae								
<i>Myriophyllum aquaticum</i> (Vellozo) Verdcourt	HS							
<i>Myriophyllum mattogrossense</i> Hoehne	HS						+ +	
<i>Myriophyllum quitense</i> H.B.K.	HS							
Hydrophyllaceae								
<i>Hydrolea elatior</i> Schott	PS-W						+ +	
<i>Hydrolea spinosa</i> L.	PS-W						+ + +	
Lamiaceae								
<i>Hyptis atrorubens</i> Poir.	H						+ +	
<i>Hyptis brevipes</i> Benth.	HP						+ + +	
<i>Hyptis crenata</i> Benth.	H						+ +	
<i>Hyptis goyazensis</i> Benth.	PS-W						+ +	
<i>Hyptis lacustris</i> St.-Hil. ex Bentham	PS-W						+ +	
<i>Hyptis lantanifolia</i> Poit.	HP						+ +	
<i>Hyptis lappacea</i> Benth.	H						+ +	
<i>Hyptis lorentziana</i> O. Hoffm.	H						+ +	
<i>Hyptis microphylla</i> Pohl ex Benth.	NK						+ +	
<i>Hyptis mutabilis</i> Brig.	H						+ +	
<i>Hyptis parkeri</i> Benth.	H						+ +	
<i>Hyptis paupercula</i> Epling	H						+ +	
<i>Hyptis recurvata</i> Poit.	HP						+ + +	
<i>Mentha aquatica</i> L.	H							
<i>Scutellaria racemosa</i> Persoon	H							
<i>Teucrium vesicarium</i> Mill.	HP						+ +	
Lauraceae								
<i>Nectandra amazonum</i> Nees.	TU						+ +	
<i>Ocotea diospyrifolia</i> (Meissn.) Mez	TU						+ +	
Lecythidaceae								

	Gran Chaco								
	Bosque Tucumano- Boliviiano								
	Andean Slopes								
	Gran Pantanal								
	Chiquitanía								
	White-water Floodplain								
	Andean Piedmont								
	Chapare								
	Valles Secos								
	Cloud Forest								
	High Andean								
Habit									
<i>Eschweilera parviflora</i> (Aubl.) Miers	T								
Lentibulariaceae									
<i>Genlisea guianensis</i> N. E. Brown	H							+	
<i>Utricularia amethystina</i> Salzmann ex St.-Hil. & Girard	H							+ +	
<i>Utricularia breviscapa</i> Wright ex Grisebach	H							+ + +	
<i>Utricularia erectiflora</i> A. St.-Hil. & Girard	H							+	
<i>Utricularia foliosa</i> L.	HSA							+ + + +	
<i>Utricularia gibba</i> L.	HSA							+ + + +	
<i>Utricularia</i> cf. <i>guyanensis</i> A. DC. in DC.	H							+	
<i>Utricularia hispida</i> Lam.	H								
<i>Utricularia hydrocarpa</i> Vahl	HSA							+ +	
<i>Utricularia lloydii</i> Merl.	H							+	
<i>Utricularia meyeri</i> Pilg.	H							+	
<i>Utricularia myriocista</i> A. St.-Hil. & Girard	HSA							+	
<i>Utricularia nana</i> St.-Hil.	H							+	
<i>Utricularia neottioides</i> A. St.-Hil.	H							+	
<i>Utricularia nervosa</i> G. Weber ex Benj. in Martius	H							+	
<i>Utricularia oliveriana</i> Steyermark	H							+	
<i>Utricularia poconensis</i> Fromm-Trinta	HSA							+	
<i>Utricularia pusilla</i> Vahl	H							+	
<i>Utricularia simulans</i> Pilger	H							+	
<i>Utricularia subulata</i> L.	H							+ +	
<i>Utricularia trichophylla</i> Spruce ex Oliver	H								
<i>Utricularia tricolor</i> A. St.-Hil.	H							+ +	
<i>Utricularia triloba</i> Benj. ex Mart.	H								
<i>Utricularia warmingii</i> Kamiénski	HSA							+	
Loganiaceae									
<i>Mitreola petiolata</i> (J.F. Gmel.) Torr. & A. Gray	H							+	
<i>Strychnos darienensis</i> Seem.	CL								
Lythraceae									
<i>Ammannia auriculata</i> Willd.	H							+	
<i>Ammannia latifolia</i> L.	H							+	
<i>Cuphea antisiphilitica</i> Kunth	H							+ +	
<i>Cuphea carthagrenensis</i> (Jacq.) J. F. Macbr.	H								+
<i>Cuphea melvilla</i> Lindl.	S							+ + + +	
<i>Cuphea micrantha</i> H.B.K.	H							+	

		Gran Chaco									
	Bosque Tucumano- Boliviiano										
	Andean Slopes										
	Gran Pantanal										
	Chiquitanía	+									
	White-water Floodplain	+									
	Andean Piedmont										
	Chapare										
	Valles Secos	+									
	Cloud Forest										
	High Andean										
	Habit										
<i>Cuphea odonellii</i> Lourteig	NK										
<i>Cuphea racemosa</i> (L. f.) Spreng.	NK		+								
<i>Cuphea repens</i> Koehne	H							+	+		
<i>Cuphea setosa</i> Koehne	H		+						+		
<i>Lythrum maritimum</i> Kunth	H										
<i>Rotala mexicana</i> Schlechl. & Cham.	H									+	
<i>Rotala ramosior</i> (L.) Koehne	H									+	
Malpighiaceae											
<i>Byrsonima riparia</i> W. R. Anderson	TU										
Malvaceae											
<i>Hibiscus bifurcatus</i> Cav.	S							+	+		
<i>Hibiscus furcellatus</i> Lam.	S-S							+	+	+	
<i>Hibiscus sororius</i> L.	PS-W				+	+		+	+		
<i>Hibiscus striatus</i> Cav.	S							+			
<i>Malachra radiata</i> (L.) L.	PS-W							+			
<i>Pavonia angustifolia</i> Benth.	PS-W							+	+		
<i>Pavonia fruticosa</i> (Miller) Fawcett & Rendle	PS-W				+			+	+		
<i>Pavonia paniculata</i> Cav. var. <i>corymbosa</i> Gürke.	PS-W										
<i>Peltaea riedelii</i> (Gürke) Standley	PS-W							+	+	+	
Melastomataceae											
<i>Aciotis acuminifolia</i> (Mart. ex DC.) Triana	H					+					
<i>Aciotis dichotoma</i> (Benth.) Cogn.	H							+	+		
<i>Acisanthera alsinaefolia</i> (DC.) Triana	PS-W						+	+			
<i>Acisanthera bivalvis</i> (Aubl.) Cogn.	H								+		
<i>Acisanthera crassipes</i> (Naudin) Wurdack	H								+		
<i>Acisanthera limnobios</i> (DC.) Triana	H						+	+			
<i>Acisanthera quadrata</i> Pers.	PS-W							+			
<i>Acisanthera uniflora</i> (Vahl) Gleason	PS-W								+		
<i>Clidemia bullosa</i> DC.	S							+	+		
<i>Clidemia capitellata</i> (Bonpl.) D. Don	S				+			+	+		
<i>Desmoscelis villosa</i> (Aubl.) Naud.	HP							+	+		
<i>Mouriri apiranga</i> Spruce ex Triana	TU								+		
<i>Mouriri guianensis</i> Aubl.	T								+	+	
<i>Macairea radula</i> (Bonpl.) DC.	S									+	
<i>Poteranthera pusilla</i> Bong.	H									+	
<i>Pterolepis glomerata</i> (Rottb.) Miq.	H									+	

		Gran Chaco										
	Bosque Tucumano- Boliviiano											
	Andean Slopes											
	Gran Pantanal											
	Chiquitanía											
	White-water Floodplain		+									
	Andean Piedmont											
	Chapare											
	Valles Secos											
	Cloud Forest											
	High Andean											
	Habit											
<i>Rhynchanthera bracteata</i> Triana	S											
<i>Rhynchanthera gardneri</i> Naudin	S											
<i>Rhynchanthera grandiflora</i> (Aubl.) DC.	S						+	+				
<i>Rhynchanthera novemnervia</i> (Martius) DC.	S-S							+	+	+		
<i>Siphonthera foliosa</i> (Naud.) Wurdack	H							+	+			
<i>Tibouchina gracilis</i> (Bonpl.) Cogn.	S							+				
<i>Tibouchina spruceana</i> Cogn.	S								+			
Meliaceae												
<i>Cedrela odorata</i> L.	T											
<i>Trichilia singularis</i> C. DC.	T											
Menyanthaceae												
<i>Nymphoides herzogii</i> A. Galán & G. Navarro	RFL											
<i>Nymphoides indica</i> (L.) O. Kuntze	H							+	+	+		
<i>Nymphoides verrucosa</i> (R. W. Fries) Galán de Mera et Navarro	RFL											+
Molluginaceae												
<i>Glinus radiatus</i> (Ruiz y Pavón) Rohrb.	H								+	+		
Moraceae												
<i>Brosimum lactescens</i> (S. Moore) C. C. Berg.	T									+		
<i>Cecropia latiloba</i> Miq.	T									+		
Myristicaceae												
<i>Virola elongata</i> (Benth.) Warb.	T								+	+		
Myrtaceae												
<i>Calyptranthes fasciculata</i> O. Berg	TU								+			
<i>Eugenia florida</i> DC.	TU						+		+	+		
<i>Myrcia fallax</i> (Rich.) DC.	S									+	+	
<i>Myrciaria dubia</i> (Kunth) McVaugh	T											
<i>Myrciaria floribunda</i> (West ex Willd.) O. Berg	TU								+	+		
Nymphaeaceae												
<i>Nymphaea amazonum</i> Mart. & Zuccarini	RFL						+		+	+	+	
<i>Nymphaea ampla</i> (Salisb.) DC.	RFL								+			
<i>Nymphaea belophylla</i> Trickett	RFL										+	
<i>Nymphaea gardneriana</i> Planchon	RFL									+	+	
<i>Nymphaea glandulifera</i> Rodschied	RFL						+		+			
<i>Nymphaea jamesoniana</i> Planchon	RFL									+		
<i>Nymphaea lingulata</i> Wiersema	RFL											+
<i>Nymphaea oxypetala</i> Planchon	H								+	+		

		Gran Chaco							
	Bosque Tucumano- Boliviiano								
	Andean Slopes								
	Gran Pantanal		+						
	Chiquitanía								
	White-water Floodplain		+						
	Andean Piedmont								
	Chapare								
	Valles Secos								
	Cloud Forest								
	High Andean								
	Habit								
<i>Nymphaea rudgeana</i> G. F. W. Meyer	RFL								
<i>Victoria amazonica</i> (Poepp.) Sower	RFL						+		
Ochnaceae									
<i>Sauvagesia deflexifolia</i> Gardner	H						+	+	
<i>Sauvagesia erecta</i> L.	HA				+	+	+	+	
<i>Sauvagesia nana</i> Ule	H						+		
Onagraceae									
<i>Epilobium denticulatum</i> R. & P.	H								
<i>Ludwigia affinis</i> (DC.) Hara	HA/P			+	+	+	+		
<i>Ludwigia bonariensis</i> (Micheli) H. Hara	H				+				+
<i>Ludwigia bullata</i> (Hassler) Hara	S								
<i>Ludwigia decurrens</i> Walt.	H			+	+	+	+		
<i>Ludwigia densiflora</i> (Micheli) H. Hara	HA								
<i>Ludwigia elegans</i> (Camb.) H. Hara	PSF					+		+	
<i>Ludwigia erecta</i> (L.) Hara	HA					+	+		
<i>Ludwigia filiformis</i> (Micheli) Ramamoorthy	H						+		
<i>Ludwigia foliobracteolata</i> (Munz) H. Hara	S								
<i>Ludwigia grandiflora</i> (Michaux) Greuter & Burdet	S		+					+	
<i>Ludwigia helminthorrhiza</i> (Mart.) Hara	HF-S				+	+	+	+	
<i>Ludwigia hyssopifolia</i> (G. Don) Exell	HP						+		
<i>Ludwigia inclinata</i> (L.f) Gómez	H			+	+	+	+		
<i>Ludwigia latifolia</i> (Benth.) Hara	S			+					
<i>Ludwigia leptocarpa</i> (Nutt.) Hara	PS-W			+	+	+	+	+	+
<i>Ludwigia longifolia</i> (DC.) H. Hara	H								
<i>Ludwigia martii</i> (Micheli) Ramamoorthy	S					+		+	
<i>Ludwigia nervosa</i> (Poiret) Hara	S			+	+	+	+	+	
<i>Ludwigia octovalvis</i> (Jacq.) Raven	PS-W			+	+	+	+	+	+
<i>Ludwigia peploides</i> (H.B.K.) Raven	S	+	+				+		+
<i>Ludwigia peruviana</i> (L.) Hara	PSF	+			+	+	+	+	+
<i>Ludwigia rigida</i> (Miquel) Sandw/	PSF					+	+		
<i>Ludwigia sedoides</i> (H. & B.) Hara	HP					+	+	+	
<i>Ludwigia sericea</i> (Cambess.) Hara	S								
<i>Ludwigia tomentosa</i> (Cambess.) H. Hara	S							+	
<i>Ludwigia torulosa</i> (Arnott) Hara	PS-W					+	+		
Oxalidaceae									
<i>Oxalis spiralis</i> Ruiz & Pavón ex G. Don	H		+						

															Gran Chaco
															Bosque Tucumano- Boliviiano
															Andean Slopes
															Gran Pantanal
															Chiquitanía
															White-water Floodplain
															Andean Piedmont
															Chapare
															Valles Secos
															Cloud Forest
															High Andean
															Habit
Passifloraceae															
<i>Passiflora caerulea</i> L.		CL		+											
Piperaceae															
<i>Piper aduncum</i> L.		S										+	+	+	
<i>Piper fuligineum</i> Kunth		S											+	+	
Plantaginaceae															
<i>Plantago myosuros</i> Lam.		H													
<i>Plantago rigida</i> Kunth		H		+	+										
<i>Plantago tubulosa</i> Decne.		H		+											
Podostemaceae															
<i>Apinagia boliviiana</i> P. Royen		HR													+
<i>Apinagia fluitans</i> P. Royen		HR										+			
<i>Apinagia</i> cf. <i>pilgeri</i> Mildbraed		HR											+		
cf. <i>Mourera</i>		HR										+			
cf. <i>Podostemum</i>		HR											+		
<i>Tristicha trifaria</i> (Willd.) Spreng.		HR											+		
Polygalaceae															
<i>Polygala boliviensis</i> A.W. Benn.		H										+	+		
<i>Polygala leptocaulis</i> Torr. & A. Gray		H										+	+	+	
<i>Polygala microspora</i> Blake		H											+		
<i>Polygala subtilis</i> Kunth		H										+			
<i>Polygala timeoutou</i> Aubl.		H										+	+		
Polygonaceae															
<i>Coccologba densifrons</i> Mart. ex Meisn.		S										+	+		
<i>Coccologba ovata</i> Bentham		S											+		
<i>Muehlenbeckia sagittifolia</i> (Ortega) Meisn.		S													
<i>Polygonum acuminatum</i> Kunth		H										+	+	+	+
<i>Polygonum ferrugineum</i> Wedd.		HP										+	+	+	
<i>Polygonum glabrum</i> Willd.		H											+		
<i>Polygonum hispidum</i> Kunth		H										+	+	+	
<i>Polygonum hydropiperoides</i> Michx.		HP										+	+	+	
<i>Polygonum lapathifolium</i> Poir.		H													
<i>Polygonum meisnerianum</i> Cham. et Schldl.		HP										+			
<i>Polygonum paraguayense</i> Wedd.		H													+
<i>Polygonum persicaria</i> L.		H											+		
<i>Polygonum punctatum</i> Elliot		HA/P										+	+	+	+

	Habit	Gran Chaco	Bosque Tucumano- Boliviiano	Andean Slopes	Gran Pantanal	Chiquitanía	White-water Floodplain	Andean Piedmont	Chapare	Valles Secos	Cloud Forest	High Andean
<i>Rumex conglomeratus</i> Murray	H											
<i>Rumex crispus</i> L.	H											
<i>Rumex obtusifolius</i> L.	H											
<i>Symmeria paniculata</i> Benth.	TU									+ +		
<i>Triplaris americana</i> L.	T								+ +	+ +		
<i>Triplaris gardneriana</i> Wedd.	T									+ +		
Portulacaceae												
<i>Montia fontana</i> L.	H											
<i>Portulaca cryptopetala</i> Speg.	H										+ +	
Primulaceae												
<i>Anagallis pumila</i> Sw.	H									+ +		
Proteaceae												
<i>Panopsis rubescens</i> (Pohl) Rusby	NK									+ +		
Quiinaceae												
<i>Quiina rhytidopus</i> Tul.	T											
Ranunculaceae												
<i>Ranunculus breviscapus</i> DC.	H											
<i>Ranunculus flagelliformis</i> Smith	H		+ + +									
<i>Ranunculus limoselloides</i> Turez.	H		+ +									
<i>Ranunculus psychrophilus</i> Wedd.	H		+ + +									
<i>Ranunculus sarmentosus</i> Griseb.	H		+ +									
<i>Ranunculus trichophyllus</i> Chaix	H		+ +									
Rosaceae												
<i>Lachemilla aphanoides</i> (Mutis ex L. f.) Rothm.	HT											
<i>Lachemilla diplophylla</i> (Diels) Rothm.	H		+ +									
<i>Lachemilla aphanoides</i> (Mutis ex L. f.) Rothm.	HT											
Rubiaceae												
<i>Borreria capitata</i> (Ruiz & Pavón) DC.	H								+ + +			
<i>Borreria densiflora</i> DC.	H											
<i>Borreria scabiosoides</i> Cham. & Schl.	H									+ +		
<i>Borreria verticillata</i> (L.) G. Mey.	H									+ +		
<i>Calycophyllum spruceanum</i> (Benth.) Hook. f. ex K. Schum.	T										+ +	
<i>Chomelia barbellata</i> Standley	TU										+ +	
<i>Coccocypselum hirsutum</i> Bartl. ex DC.	H								+ +			
<i>Diodia kuntzei</i> Schumann	H									+ +		
<i>Diodia macrophylla</i> K. Schum.	H								+ + +			

		Gran Chaco													
	Bosque Tucumano- Boliviiano														
	Andean Slopes														
	Gran Pantanal														
	Chiquitanía	+													
	White-water Floodplain	+													
	Andean Piedmont		+												
	Chapare														
	Valles Secos														
	Cloud Forest														
	High Andean														
	Habit														
<i>Diodia multiflora</i> DC.	H														
<i>Genipa americana</i> L.	T														
<i>Genipa spruceana</i> Steyermark.	T														
<i>Hedyotis salzmannii</i> (DC.) Steud.	H														
<i>Hemidiodia ocymifolia</i> (Willd. ex Roem. & Schult.) K. Schum.	H														
<i>Limnosipanea spruceana</i> Hook. f.	H														
<i>Oldenlandia lancifolia</i> (Schumach.) DC.	HA/P														
<i>Perama hirsuta</i> Aubl.	H														
<i>Psychotria anceps</i> Kunth	T														
<i>Psychotria lupulina</i> Benth.	S														
<i>Rudgea cornifolia</i> (Kunth) Standl.	TU														
<i>Sabicea novo-granatensis</i> K. Schum.	CL														
<i>Sabicea villosa</i> Willd. ex Roem. & Schult.	CL														
<i>Sipanea acinifolia</i> Spruce ex Sprague	H														
<i>Sipanea hispida</i> Benth. ex Wernham	H														
<i>Spermacoce glabra</i> Michx.	H														
Salicaceae															
<i>Salix humboldtiana</i> Willd.	TU														+
Sapindaceae															
<i>Cupania cinerea</i> Poeppig & Endl.	T														
<i>Paullinia pinnata</i> L.	LN														
Sapotaceae															
<i>Manilkara inundata</i> (Ducke) Ducke	T														
<i>Pouteria cuspidata</i> (A. DC.) Baehni	T														
<i>Pouteria elegans</i> (A. DC.) Baehni	T														
<i>Pouteria glomerata</i> (Pohl ex Miq.) Radlk.	T														
Scrophulariaceae															
<i>Alectra aspera</i> (Cham. & Schltdl.) L. O. Williams	H														
<i>Bacopa aquatica</i> Aublet	HS														
<i>Bacopa axillaris</i> (Benth.) Standl.	H														
<i>Bacopa laxiflora</i> (Benth.) Wetst. ex Edwall	H														
<i>Bacopa monnieri</i> (L.) Pennell	H														
<i>Bacopa monnieroides</i> (Cham.) B.L. Rob.	H														
<i>Bacopa myriophylloides</i> (Benth.) Wettstein	H														
<i>Bacopa reptans</i> (Benth.) Wetst. ex Edwall	H														
<i>Bacopa salzmannii</i> (Benth.) Edwall	H														

		Gran Chaco					
	Bosque Tucumano- Boliviiano						
	Andean Slopes						
	Gran Pantanal						
	Chiquitanía	+					
	White-water Floodplain		+				
	Andean Piedmont						
	Chapare						
	Valles Secos						
	Cloud Forest						
	High Andean						
	Habit						
<i>Bacopa</i> sp. nov. (?)	H						
<i>Bacopa stricta</i> (Scrad.) Edwall	H						
<i>Bacopa tweedii</i> (Bentham) Parodi	H						
<i>Benjaminia reflexa</i> (Benth.) D'arcy	HS						
<i>Buchnera longifolia</i> H.B.K.	HP						
<i>Calceolaria aquatica</i> A. Br. & Bouché	H	+	+	+			
<i>Castilleja communis</i> Benth. en DC.	H						
<i>Castilleja pumila</i> Wedd.	H	+					
<i>Escobedia grandiflora</i> (L. f.) Kuntze	NK						
<i>Limnophila</i> sp. nov.	HS						+
<i>Limosella aquatica</i> L.	HS	+					
<i>Limosella subulata</i> Ives	HS	+					
<i>Lindernia brachyphylla</i> Pennell	H						+
<i>Lindernia crustacea</i> (L.) F. Müell.	H						+
<i>Lindernia microcalyx</i> Pennell & Stehle	H						+
<i>Mimulus glabratus</i> Kunth	H	+	+	+			
<i>Scoparia dulcis</i> L.	H				+	+	+
<i>Scoparia nudicaulis</i> Chodat	H			+			
<i>Stemodia hypoides</i> Cham. & Schlecht.	H			+			
<i>Torenia thouarsii</i> (Cham. & Schld.) O. Kuntze	HA				+	+	
<i>Veronica anagallis-aquatica</i> L.	H	+	+				
<i>Veronica peregrina</i> L.	H		+	+			
<i>Veronica serpyllifolia</i> L.	H	+	+				
Solanaceae							
<i>Solanum amygdalifolium</i> Steud.	CL						
<i>Solanum glaucophyllum</i> Desf.	S						+
<i>Solanum stramonifolium</i> Jacq.	NK						+
Sterculiaceae							
<i>Byttneria divaricata</i> Benth.	S						+
<i>Byttneria filipes</i> Mart.	PS-W				+		+
<i>Byttneria genistella</i> Triana & Planchon	PS-W						+
<i>Byttneria scabra</i> L.	PS-W						+
<i>Melochia arenosa</i> Benth.	PS-W						+
<i>Melochia graminifolia</i> St. Hil.	PS-W						+
<i>Melochia parvifolia</i> Kunth	PS-W						+
<i>Melochia villosa</i> (Mill.) Fawc. & Rendle	PS-W						+

		Gran Chaco										
	Habit	Bosque Tucumano- Boliviano	Andean Slopes	Gran Pantanal	Chiquitanía	White-water Floodplain	Andean Piedmont	Chapare	Valles Secos	Cloud Forest	High Andean	
Tiliaceae												
<i>Corchorus hirtus</i> L.	NK							+				
<i>Lueheopsis hoehnei</i> Burret	T							+	+			
<i>Mollia lepidota</i> Spruce ex Benth.	T							+	+			
<i>Muntingia calabura</i> L.	T											
Turneraceae												
<i>Turnera melochia</i> Triana & Planch.	NK								+			
Urticaceae												
<i>Boehmeria cylindrica</i> (L.) Willd.	H			+								
Verbenaceae												
<i>Baillonia amabilis</i> Bocq.	S							+	+			
<i>Lippia alba</i> (Miller) N.E. Brown	S							+	+	+		
<i>Phyla nodiflora</i> (L.) Greene	H							+	+			
<i>Stachytarpheta elatior</i> Schrad. ex Schult.	H									+		
<i>Verbena bonariensis</i> L.	H	+									+	
<i>Verbena hispida</i> Ruiz & Pavón	H											
<i>Vitex cymosa</i> Bertero ex Spreng.	T							+	+	+	+	
Vitaceae												
<i>Cissus erosa</i> L.C. Rich.	CL				+			+	+			
<i>Cissus palmata</i> Poir.	CL					+		+	+			
<i>Cissus spinosa</i> Camb.	CL							+	+	+		
<i>Cissus tweediana</i> (Bak.) Planchon	CL											+
Vochysiaceae												
<i>Vochysia divergens</i> Pohl	T								+	+		
Monocotyledons												
Alismataceae												
<i>Echinodorus aschersonianus</i> Graebner	H									+		
<i>Echinodorus boliviensis</i> (Rusby) Holm-Nielson	H							+	+	+		+
<i>Echinodorus grandiflorus</i> (Cham. & Schltdl.) Micheli	H							+	+	+		
<i>Echinodorus grisebachii</i> Small	H									+		
<i>Echinodorus macrophyllus</i> (Kunth) Micheli ex A. & C. DC.	H									+		
<i>Echinodorus paniculatus</i> Micheli	H								+	+	+	+
<i>Echinodorus subalatus</i> (Mart.) Grisebach	HP							+	+	+		
<i>Echinodorus tenellus</i> (Mart.) Buchenau	H										+	
<i>Sagittaria guayanensis</i> Kunth	RFL								+	+	+	
<i>Sagittaria lancifolia</i> L.	H											

					Gran Chaco
					Bosque Tucumano- Boliviiano
					Andean Slopes
					Gran Pantanal
					Chiquitanía
					White-water Floodplain
					Andean Piedmont
					Chapare
					Valles Secos
					Cloud Forest
					High Andean
	Habit				
<i>Sagittaria montevidensis</i> Chamisso & Schlectendal	H			+	+
<i>Sagittaria rhombifolia</i> Chamisso	H			+	+
Amaryllidaceae					
<i>Cucurligo scorzonerifolia</i> (Lam.) Baker	H				+
Araceae					
<i>Pistia stratiotes</i> L.	HF-F		+	+	+
<i>Philodendron tweedieanum</i> Schott	H				+
<i>Urospatha sagittifolia</i> (Rudge) Schott	H			+	+
<i>Xanthosoma striatipes</i> (Kunth & Bouché) Madison	H			+	+
<i>Zantedeschia aethiopica</i> (L.) Spreng.	NK				
Arecaceae					
<i>Astrocaryum murumuru</i> Mart.	T				+
<i>Attalea maripa</i> (Aubl.) Mart.	T				
<i>Bactris glaucescens</i> Drude	T		+	+	
<i>Bactris major</i> Jacq.	T				+
<i>Bactris maraja</i> Mart.	T				
<i>Bactris riparia</i> Mart.	T				+
<i>Copernicia alba</i> Mor. ex Mor. & Britt.	T		+		+
<i>Euterpe precatoria</i> Mart.	T				
<i>Mauritia flexuosa</i> C. Mart.	T		+	+	
<i>Mauritiella aculeata</i> (Kunth) Burret	T		+	+	
<i>Mauritiella armata</i> (Mart.) Burret	T		+	+	
<i>Oenocarpus bataua</i> Mart	T				
<i>Oenocarpus distichus</i> Mart.	T				+
<i>Oenocarpus mapora</i> Karst.	T				
Burmanniaceae					
<i>Burmannia bicolor</i> Mart.	HA		+	+	
<i>Burmannia capitata</i> (Walter ex J.F. Gmel.) Mart.	H			+	
<i>Burmannia flava</i> Martius	H		+	+	
Cannaceae					
<i>Canna glauca</i> L.	H		+	+	+
<i>Canna indica</i> L.	H				+
Commelinaceae					
<i>Commelina diffusa</i> Burm.f	H		+	+	
<i>Commelina erecta</i> Chapm.	H		+	+	+
<i>Floscopia glabrata</i> (Kunth) Hassk.	H				+
Costaceae					
<i>Costus arabicus</i> L.	HP		+	+	+

	Habit	Gran Chaco	Bosque Tucumano- Boliviano	Andean Slopes	Gran Pantanal	Chiquitanía	White-water Floodplain	Andean Piedmont	Chapare	Valles Secos	Cloud Forest	High Andean
<i>Costus scaber</i> Ruiz & Pavón	H								+	+		+
Cyclanthaceae												
<i>Carludovica palmata</i> Ruiz & Pavón	H											
Cyperaceae												
<i>Ascolepis brasiliensis</i> (Kunth) Benth ex C. B. Clarke	H								+			
<i>Bulbostylis capillaris</i> C. B. Clarke	H								+	+		
<i>Calyptrocarya glomerulata</i> (Brogn.) Urban	HP								+			
<i>Calyptrocarya luzuliformis</i> L. Koyama	H											+
<i>Carex acutata</i> Boott	H								+			
<i>Carex bonplandii</i> Kunth	H								+			
<i>Carex lemanniana</i> Boott	H								+			
<i>Carex purdiei</i> Boott	H								+			
<i>Carex</i> sp.	H									+		+
<i>Cladium jamaicense</i> Crantz	H											
<i>Cyperus articulatus</i> L.	H											+
<i>Cyperus cayennensis</i> (Lam.) Britton	H											+
<i>Cyperus chalananthus</i> Presl.	H											+
<i>Cyperus compressus</i> L.	H											+
<i>Cyperus digitatus</i> Roxburgh	HP											+
<i>Cyperus distans</i> L.	H											+
<i>Cyperus eragrostis</i> Lam.	H								+	+		
<i>Cyperus esculentus</i> L.	HP								+			
<i>Cyperus flavus</i> Boeck.	H											+
<i>Cyperus gardneri</i> Nees ex Mart.	H											+
<i>Cyperus giganteus</i> Vahl.	H											+
<i>Cyperus haspan</i> L.	HP								+	+	+	+
<i>Cyperus hermaphroditus</i> (Jacq.) Standley	H								+			
<i>Cyperus imbricatus</i> Retz.	HP											+
<i>Cyperus iria</i> L.	H											+
<i>Cyperus laetus</i> Presl.	H								+			
<i>Cyperus laevigatus</i> L.	H								+			
<i>Cyperus ligularis</i> L.	H											
<i>Cyperus luzulae</i> (L.) Retz	HP								+	+		+
<i>Cyperus meyenianus</i> Kunth	H								+	+		
<i>Cyperus mutisii</i> (Kunth) Griseb.	H											+
<i>Cyperus ochraceus</i> Vahl.	H											+
<i>Cyperus papyrus</i> L.	H											+
<i>Cyperus prolixus</i> Kunth	HP								+			+

					Gran Chaco
					Bosque Tucumano- Boliviiano
					Andean Slopes
					Gran Pantanal
					Chiquitanía
					White-water Floodplain
					Andean Piedmont
					Chapare
					Valles Secos
					Cloud Forest
					High Andean
	Habit				
<i>Cyperus rotundus</i> L.	H			+	
<i>Cyperus sphacelatus</i> Rottb.	HA			+	
<i>Cyperus surinamensis</i> Rottb.	HA/P		+	+	+
<i>Cyperus tabina</i> Steudel ex Boeckeler	H	+			
<i>Cyperus virens</i> Michx.	HP			+	
<i>Diplacrum longifolium</i> (Griseb.) C. B. Clarke	HP		+	+	
<i>Diplasia karatifolia</i> L. C. Rich.	HP		+	+	+
<i>Eleocharis acicularis</i> (L.) Roemer et Schultes	H	+	+	+	
<i>Eleocharis acutangula</i> (Roxb.) Schultes	FM-F		+	+	+
<i>Eleocharis albibracteata</i> Nees et Meyer ex Kunth	H	+	+	+	
<i>Eleocharis atropurpurea</i> (Retz.) Kunth	H			+	
<i>Eleocharis dombeyana</i> Kunth	H		+		
<i>Eleocharis egleriooides</i> S. González & Reznicek	HP			+	
<i>Eleocharis elegans</i> (Kunth) Roemer et Schultes	HP		+	+	+
<i>Eleocharis filiculmis</i> Kunth	H		+	+	+
<i>Eleocharis flavescens</i> (Poir.) Urban	H		+	+	
<i>Eleocharis geniculata</i> (L.) Ruiz & Pavón	H	+		+	
<i>Eleocharis interstincta</i> (Vahl.) Roemer et Schultes	HP		+	+	+
<i>Eleocharis jelskiana</i> Boeck.	H			+	
<i>Eleocharis macrostachya</i> Britton	H		+		+
<i>Eleocharis maculosa</i> (Vahl) Roemer et Schultes	H				
<i>Eleocharis minima</i> Kunth	H		+	+	+
<i>Eleocharis mitrata</i> C. B. Clarke	H			+	
<i>Eleocharis montana</i> (Kunth) Roemer et Schultes	H	+	+	+	+
<i>Eleocharis mutata</i> (L.) Roemer et Schultes	H			+	
<i>Eleocharis plicarhachis</i> Svenson	H			+	
<i>Eleocharis radicans</i> (Poir.) Kunth	H				
<i>Eleocharis retroflexa</i> (Poir.) Ur	H			+	
<i>Eleocharis sellowiana</i> Kunth	H			+	
<i>Fimbristylis complanata</i> (Retz.) Link.	H		+		
<i>Fimbristylis dichotoma</i> (L.) Vahl.	HA/P	+	+	+	+
<i>Fimbristylis littoralis</i> Gaudich.	HA		+	+	
<i>Fimbristylis spadicea</i> (L.) Vahl	HP			+	
<i>Fuirena robusta</i> Kunth	FMF		+	+	+
<i>Fuirena umbellata</i> Rottb.	FMF		+	+	+
<i>Hypolytrum longifolium</i> (L. C. Rich) Nees	H				
<i>Isolepis cernua</i> (Vahl) Roem. & Schult.	H		+		
<i>Isolepis inundata</i> R. Br.	H	+			

					Gran Chaco
					Bosque Tucumano- Boliviiano
					Andean Slopes
					Gran Pantanal
					Chiquitanía
					White-water Floodplain
					Andean Piedmont
					Chapare
					Valles Secos
					Cloud Forest
					High Andean
	Habit				
<i>Kyllinga brevifolia</i> Rottb.	H	+	+	+	
<i>Kyllinga odorata</i> Vahl.	H	+	+	+	+
<i>Kyllinga pumila</i> Michaux	H	+	+	+	+
<i>Lipocarpha humboldtiana</i> Nees	H		+	+	+
<i>Lipocarpha micrantha</i> (Vahl) G. Tucker	H		+		
<i>Lipocarpha sphacelata</i> (Vahl.) Kunth	H			+	
<i>Oxycaryum cubense</i> (Poepp. & Kunth) Lye	FMF	+	+	+	+
<i>Pycreus bipartitus</i> (Torey) C. B. Clarke	HA	+	+		
<i>Pycreus flavicomus</i> (Michaux) C. Adams	H	+	+		
<i>Pycreus grammicus</i> Kunth	H				+
<i>Pycreus lanceolatus</i> (Poir. ex Lam.) C. B. Clarke	H		+	+	
<i>Pycreus macrostachyos</i> (Lam.) J. Raynal	H			+	
<i>Pycreus niger</i> (R. & P.) Cuf.	HP	+	+	+	
<i>Pycreus unioloides</i> (R. Br.) Urban	H				+
<i>Rhynchospora albescens</i> (Miq.) Kuek.	H			+	
<i>Rhynchospora amazonica</i> Poepp. & Kunth	H			+	
<i>Rhynchospora aristata</i> Boeckeler	H				
<i>Rhynchospora barbata</i> (Vahl) Kunth	H			+	+
<i>Rhynchospora brevirostris</i> Griseb.	H				+
<i>Rhynchospora brownii</i> Roem. & Schult.	H	+			
<i>Rhynchospora candida</i> (Nees) Boeck.	H			+	
<i>Rhynchospora cephalotes</i> (L.) Vahl	H			+	+
<i>Rhynchospora corymbosa</i> (L.) Britton	H		+	+	+
<i>Rhynchospora dissitiflora</i> Steudel ex Boeck.	HP				
<i>Rhynchospora exaltata</i> Kunth	H				+
<i>Rhynchospora eximia</i> (Nees) Boeckel	HA				+
<i>Rhynchospora filiformis</i> Vahl	HP				+
<i>Rhynchospora gigantea</i> Link.	H		+	+	+
<i>Rhynchospora globosa</i> (Kunth) Roem. & Schult.	H		+	+	
<i>Rhynchospora hassleri</i> C.B. Clarke	H			+	
<i>Rhynchospora hirta</i> (Nees) Boeck.	H			+	+
<i>Rhynchospora holoschoenoides</i> (L. C. Rich) Hert	H		+	+	+
<i>Rhynchospora pubera</i> (Vahl.) Boeckeler	H			+	
<i>Rhynchospora robusta</i> (Kunth) Boeck.	H			+	+
<i>Rhynchospora rugosa</i> (Vahl.) Gale	H			+	+
<i>Rhynchospora ruiziana</i> Boeck.	H				
<i>Rhynchospora scutellata</i> Griseb.	H				+
<i>Rhynchospora tenerrima</i> Nees ex Spreng.	HA/P				

	Habit	Gran Chaco	Bosque Tucumano- Boliviano	Andean Slopes	Gran Pantanal	Chiquitanía	White-water Floodplain	Andean Piedmont	Chapare	Valles Secos	Cloud Forest	High Andean
<i>Rhynchospora tenuis</i> Link	H								+	+		
<i>Rhynchospora trichodes</i> C. B. Clarke	H									+		
<i>Rhynchospora trispicata</i> (Nees) Schrad. ex Steud.	H									+	+	
<i>Rhynchospora velutina</i> (Kunth) Boeck.	H									+	+	
<i>Rhynchospora vulcani</i> Boeck.	H	+										
<i>Schoenoplectus americanus</i> (Pers.) Volkhart	H		+									
<i>Schoenoplectus californicus</i> (C.A. Mey.) Sojak	H	+	+									+
<i>Scleria cyperinoides</i> Clark	HP					+				+	+	
<i>Scleria distans</i> Poir.	H									+	+	
<i>Scleria eggersiana</i> Boeck.	H									+		
<i>Scleria flagellumnigrorum</i> P. Bergius	H						+	+	+			
<i>Scleria hirtella</i> Sw.	H						+	+	+			
<i>Scleria macrophylla</i> J. S. Presl. & C. Presl	HP					+	+	+				
<i>Scleria melaleuca</i> Rchb. Schltdl. & Cham.	H						+	+	+			
<i>Scleria microcarpa</i> Nees ex. Kunth	HP					+	+	+				
<i>Scleria mitis</i> P. Bergius	H						+	+	+			
<i>Scleria reticularis</i> Michaux	H						+	+	+			
<i>Scleria secans</i> (L.) Urb.	H						+	+	+			
<i>Scleria setulosociliata</i> Boeckeler	H								+			
<i>Torulinium odoratum</i> (L.) Hooper	H							+	+	+		+
<i>Websteria confervoides</i> (Poir.) S.S. Hooper	HS									+	+	
Eriocaulaceae												
<i>Eriocaulon</i> aff. <i>dictyophyllum</i> Koern. (sensu Moldenke)	H									+		
<i>Eriocaulon humboldtii</i> Kunth	H									+		
<i>Eriocaulon melanocephalum</i> Kunth	H									+	+	
<i>Eriocaulon</i> sp. nov. "A" (cf. "Bolivia checklist" of N. Hensold, F)	H									+		
<i>Eriocaulon steyermarkii</i> Moldenke	H											
<i>Paepalanthus lamarckii</i> Kunth	H								+			
<i>Paepalanthus saxicola</i> Körn.	H									+		
<i>Philodice hoffmannseggii</i> Mart.	H									+		
<i>Syngonanthus anomalus</i> (Körn. in C. Mart.) Ruhland	HS									+		
<i>Syngonanthus bellus</i> Moldenke	H									+		
<i>Syngonanthus biformis</i> (N. E. Br.) Gleason	H									+		
<i>Syngonanthus caulescens</i> (Poir.) Ruhl.	H								+	+	+	
<i>Syngonanthus densiflorus</i> Ruhland	H									+	+	
<i>Syngonanthus gracilis</i> (Bong.) Ruhland	H									+	+	
<i>Syngonanthus nitens</i> (Bong.) Ruhl.	H									+		
<i>Syngonanthus simplex</i> (Koërn ex C. Mart) Ruhland	H									+		

					Gran Chaco
					Bosque Tucumano- Boliviiano
					Andean Slopes
					Gran Pantanal
					Chiquitanía
					White-water Floodplain
					Andean Piedmont
					Chapare
					Valles Secos
					Cloud Forest
					High Andean
	Habit				
<i>Syngonanthus xeranthemoides</i> (Bong.) Ruhland	H				+
<i>Tonina fluviatilis</i> Aublet	HP		+		+
Heliconiaceae					
<i>Heliconia marginata</i> (Griggs.) Pitt	HP		+	+	+
<i>Heliconia psittacorum</i> L.f.	H			+	+
<i>Heliconia subulata</i> Ruiz & Pavón	H				+
Hydrocharitaceae					
<i>Apalanthe granatensis</i> (H. & B.) J. E. Planchon	HS		+	+	+
<i>Egeria densa</i> Planchon	HS				
<i>Egeria najas</i> Planchon	HS				+
<i>Elodea potamogeton</i> (Bert.) Espinosa	HS	+		+	
<i>Limnobium laevigatum</i> (H. & B. ex Willd.) Heine	HFF		+	+	+
Iridaceae					
<i>Cipura paludosa</i> Aubl.	H			+	+
<i>Cypella linearis</i> (H.B.K.) Baker	H				+
<i>Sisyrinchium iridifolium</i> Kunth	H				
Juncaceae					
<i>Distichia filamentosa</i> Buchenau	CF	+			
<i>Distichia muscoides</i> Nees & Meyen	CF	+			
<i>Juncus acutus</i> L.	HP				
<i>Juncus arcticus</i> Willd.	H	+			
<i>Juncus bufonius</i> L.	HA	+	+		
<i>Juncus cyperoides</i> Laharpe	H				
<i>Juncus ebracteatus</i> E. Meyer	H	+	+	+	
<i>Juncus effusus</i> L.	H		+		
<i>Juncus fuscocapitatus</i> Balslev	H	+	+		
<i>Juncus microcephalus</i> Kunth	H	+	+	+	+
<i>Juncus pallens</i> Lam.	H		+		
<i>Juncus stipulatus</i> Nees & Meyen	H	+	+		
<i>Juncus subulitepalus</i> Balslev	H			+	
<i>Juncus tenuis</i> Willd.	HP			+	
<i>Luzula racemosa</i> Desvaux	H	+	+		
<i>Luzula vulcanica</i> Liebm.	H				
<i>Oxychloe andina</i> Phil.	CF	+			
<i>Patosia clandestina</i> (Philippi) Buchenau	CF	+			
Juncaginaceae					
<i>Lilaea scilloides</i> (Poiret) Hauman	HS	+	+		
Lemnaceae					

	Habit	Gran Chaco	Bosque Tucumano- Boliviiano	Andean Slopes	Gran Pantanal	Chiquitanía	White-water Floodplain	Andean Piedmont	Chapare	Valles Secos	Cloud Forest	High Andean
<i>Lemna aequinoctialis</i> Welw.	HFF								+	+		+
<i>Lemna gibba</i> L.	HFF	+	+									
<i>Lemna minuta</i> Kunth	HFF		+									
<i>Lemna valdiviana</i> Phil.	H	+	+		+	+	+	+				+
<i>Lemna yungensis</i> Landolt	LR											+
<i>Spirodela intermedia</i> W. Kohl	HFF					+	+					+
<i>Wolffia brasiliensis</i> Wedd.	HFF						+					+
<i>Wolffia columbiana</i> Karsten	HFF							+				+
<i>Wolffiella caudata</i> Landolt	HFF								+			
<i>Wolffiella lingulata</i> (Hegelm.) Hegelm.	HFF								+	+		+
<i>Wolffiella oblonga</i> (Phil.) Hegelm.	HFF								+			+
<i>Wolffiella welwitschii</i> (Hegelm.) Monod	HFF											
Limnocharitaceae												
<i>Hydrocleys mattogrossensis</i> (Kuntze) HolmNielsen & Haynes	RFL											
<i>Hydrocleys nymphoides</i> (Willd.) Buch.	RFL					+	+	+				
<i>Hydrocleys parviflora</i> Seubert in Martius	RFL					+	+	+				
<i>Limnocharis flava</i> (L.) Buchenau	HA/P				+	+	+	+	+			
<i>Limnocharis laforestii</i> Duchassaing ex. Griseb	HA/P									+		
Marantaceae												
<i>Thalia geniculata</i> L.	H					+	+	+	+			
Mayacaceae												
<i>Mayaca fluviatilis</i> Aublet	HS					+	+	+				
<i>Mayaca longipes</i> Mart. ex Seubert	HS					+	+	+				
<i>Mayaca sellowiana</i> Kunth	HS									+		
Najadaceae												
<i>Najas arguta</i> H.B.K.	HS							+	+	+		
<i>Najas guadalupensis</i> (Spreng.) Magnus	HS											+
<i>Najas podostemon</i> Magnus	HS											+
Orchidaceae												
<i>Cyrtopodium paludicolum</i> Hoehne	H											+
<i>Eltroplectris calcarata</i> (Sw.) Garay & H.R. Sweet	NK											+
<i>Eulophia alta</i> (L.) Fawc & Rendl.	H											+
<i>Habenaria alata</i> Hooker	H											
<i>Habenaria leprieuri</i> Reichb.f.	H											+
<i>Habenaria repens</i> Nutt.	H								+	+		
<i>Habenaria sartor</i> Lindl.	H									+		
<i>Liparis nervosa</i> (Thunb.) Lindl.	H											+
Poaceae												

		Gran Chaco
	Habit	Bosque Tucumano- Boliviiano Andean Slopes Gran Pantanal Chiquitanía White-water Floodplain Andean Piedmont Chapare Valles Secos Cloud Forest High Andean
<i>Acroceras zizanioides</i> (H.B.K.) Dandy	HA/P	+
<i>Agrostis perennans</i> (Walt.) Tuck	H	+
<i>Agrostis stolonifera</i> L.	H	+
<i>Alopecurus aequalis</i> Sobol.	H	+
<i>Alopecurus magellanicus</i> Lam.	H	+
<i>Amphibromus scabririvalvis</i> (Trin.) Swallen	H	+
<i>Andropogon bicornis</i> (L.) Forsk.	HP	+
<i>Andropogon glaziovii</i> Hackel in Mart.	H	+
<i>Andropogon lateralis</i> Nees	S	+
<i>Andropogon leucostachyus</i> H.B.K.	H	+
<i>Andropogon sellianus</i> (Hackel) Hackel	HP	+
<i>Andropogon virgatus</i> Desv.	H	+
<i>Arundinella hispida</i> (Willd.) Kuntze	H	+
<i>Arundo donax</i> L.	H	+
<i>Axonopus fissifolius</i> (Raddi) Kuhlm.	HP	+
<i>Axonopus leptostachyus</i> (Flüggé) Hitchc.	H	+
<i>Calamagrostis effusa</i> Steud.	H	+
<i>Calamagrostis eminens</i> (Presl.) Steud.	H	+
<i>Coelorachis aurita</i> (Steud.) A. Camus	H	+
<i>Coelorachis balansae</i> (Hack.) Camus	H	+
<i>Coix lacrymajobi</i> L.	H	+
<i>Cynodon dactylon</i> (L.) Pers.	H	+
<i>Deschampsia caespitosa</i> P. Beauv.	H	+
<i>Deyeuxia chrysanthia</i> J. Presl.	H	+
<i>Deyeuxia minima</i> (Pilg.) Rúgolo	H	+
<i>Deyeuxia ovata</i> J. Presl.	H	+
<i>Deyeuxia rigescens</i> (J. Presl) Türpe	H	+
<i>Digitaria ciliaris</i> (Retz.) Koel.	H	+
<i>Echinochloa colona</i> (L.) Link	HA	+
<i>Echinochloa crusgalli</i> (L.) Pal. de Beavois	H	+
<i>Echinochloa crusgavonis</i> (H.B.K.) Schultes	H	+
<i>Echinochloa polystachya</i> (Kunth) Hitchc.	H	+
<i>Echinolaena gracilis</i> Swallen	H	+
<i>Eleusine indica</i> (L.) Gaertn.	H	+
<i>Eragrostis acutiflora</i> (Kunth) Nees	H	+
<i>Eragrostis glomerata</i> (Walt.) L. H. Dewey	H	+
<i>Eragrostis hypnoides</i> (Lam.) Britton, Sterns & Poggenb.	H	+
<i>Eragrostis maypurensis</i> (Kunth) Steud.	SS	+

	Habit	Gran Chaco	Bosque Tucumano- Boliviano	Andean Slopes	Gran Pantanal	Chiquitanía	White-water Floodplain	Andean Piedmont	Chapare	Valles Secos	Cloud Forest	High Andean
<i>Eriochloa distachya</i> H.B.K.	H								+	+		
<i>Eriochloa punctata</i> (L.) Desv.	H								+	+	+	+
<i>Eriochrysis cayennensis</i> Beauv.	H								+	+	+	
<i>Eriochrysis warmingiana</i> (Hack.) Kuhlm.	H								+	+		
<i>Festuca dolichophylla</i> J. Presl.	H	+										
<i>Gymnopogon fastigiatus</i> Nees	H									+	+	
<i>Gynerium sagittatum</i> (Aubl.) Beauv.	HP								+	+	+	
<i>Hackelochloa granularis</i> (L.) Kuntzey	H										+	
<i>Hemarthria altissima</i> (Poir.) Stapf & C.E. Hubb.	HP								+	+	+	
<i>Holcus lanatus</i> L.	H											
<i>Homolepis aturensis</i> (H.B.K.) Chase	HP								+	+	+	+
<i>Hymenachne amplexicaulis</i> (Rudge.) Nees	HP								+	+	+	+
<i>Hymenachne donacifolia</i> (Raddi) Chase	HP								+	+	+	+
<i>Hyparrhenia bracteata</i> (Willd.) Stapf	H									+	+	
<i>Ichnanthus pallens</i> (Swartz.) Munro ex Benth.	H								+	+		
<i>Ichnanthus procurrens</i> (Nees) Swallen	H								+	+	+	
<i>Imperata brasiliensis</i> Trin.	H								+	+	+	+
<i>Imperata contracta</i> (H.B.K.) Hitch.	H								+			
<i>Imperata minutiflora</i> Hack.	H								+			
<i>Imperata tenuis</i> Hack	H	+							+	+	+	+
<i>Isachne polygonoides</i> (Lam.) Doell	H									+		
<i>Leersia hexandra</i> L.	FMF								+	+	+	+
<i>Leptochloa fascicularis</i> (Lam.) A. Gray	H	+										
<i>Leptochloa mucronata</i> (Michx.) Kunth	H											
<i>Leptochloa panicoides</i> (J. Presl) Hitchc.	H											+
<i>Leptochloa scabra</i> Nees.	H								+	+	+	
<i>Leptochloa uninervia</i> (J.S. Presl) A. Hitch. et Chase	H	+							+	+	+	
<i>Loudetia flammida</i> (Trin.) C. E. Hubbard	H								+	+	+	
<i>Luziola bahiensis</i> (Steudl.) A. Hitchc.	HP								+		+	
<i>Luziola fragilis</i> Swallen	H											
<i>Luziola peruviana</i> Juss. ex J.F. Gmel.	H	+							+	+	+	
<i>Luziola subintegra</i> Swallen	H										+	+
<i>Oplismenopsis najada</i> (Hack. & Arechav.) Parodi	H										+	
<i>Oryza alta</i> Swallen	H											+
<i>Oryza grandiglumis</i> (Döell) Prodoehl	H										+	
<i>Oryza latifolia</i> Desv.	H								+	+	+	+
<i>Oryza rufipogon</i> Griffiths	H								+	+	+	
<i>Oryza sativa</i> L.	H										+	

	Habit	Gran Chaco	Bosque Tucumano- Boliviano	Andean Slopes	Gran Pantanal	Chiquitanía	White-water Floodplain	Andean Piedmont	Chapare	Valles Secos	Cloud Forest	High Andean
<i>Otachyrium versicolor</i> (Döll) Henrard	H			+	+	+						
<i>Panicum caricoides</i> Nees ex Trin.	H					+	+					
<i>Panicum cayennense</i> Lam.	H					+	+					
<i>Panicum dichotomiflorum</i> Michx.	HP			+	+	+	+	+				
<i>Panicum elephantipes</i> Nees ex Trin.	FMF						+	+				
<i>Panicum grande</i> Hitchcock & Chase	HP			+	+							
<i>Panicum hylaeicum</i> Mez.	HP			+	+	+						
<i>Panicum laxum</i> Sw.	HP			+	+	+	+	+				
<i>Panicum mertensii</i> Roth	HP			+	+	+						
<i>Panicum parvifolium</i> Lam.	H					+	+					
<i>Panicum pilosum</i> Sw.	HP			+	+	+						
<i>Panicum polygonatum</i> Schrader	HP			+	+	+	+					+
<i>Panicum repens</i> Berg.	H											+
<i>Panicum scabridum</i> Döll	SS						+	+				
<i>Panicum schwackeanum</i> Mez.	HP			+	+	+						
<i>Panicum stenodes</i> Griseb.	H											+
<i>Panicum stoloniferum</i> Poir.	HP			+	+	+	+	+				
<i>Panicum stramineum</i> Hitchc. & Chase	H					+	+	+				
<i>Panicum trichoides</i> Sw.	H											+
<i>Paratheria prostrata</i> Griseb.	H											+
<i>Parodiolyra lateralis</i> (J. Presl ex Nees) Soderstr. & Zuloaga	H											
<i>Paspalidium geminatum</i> (Forssk.) Stapf.	H											+
<i>Paspalum acuminatum</i> Raddi	H											+
<i>Paspalum boscianum</i> Flüggé	H						+	+				
<i>Paspalum carinatum</i> Humb. & Bonpl.	H							+	+			
<i>Paspalum conjugatum</i> Bergius	H						+	+	+	+		+
<i>Paspalum conspersum</i> Schrader ex Schultes	H											+
<i>Paspalum densum</i> Poir.	H							+	+	+		
<i>Paspalum distichum</i> L.	H						+	+				
<i>Paspalum fasciculatum</i> Willd. ex Flüggé	H							+	+			
<i>Paspalum intermedium</i> Munro	H											+
<i>Paspalum lividum</i> Trin. in Schlecht.	H											+
<i>Paspalum maculosum</i> Trin.	H											+
<i>Paspalum multicaule</i> Poir.	H											+
<i>Paspalum nudatum</i> Luces	H											
<i>Paspalum orbiculatum</i> Poir.	H											+
<i>Paspalum pallens</i> Swallen	H											+
<i>Paspalum paniculatum</i> L.	H											+

	Habit	Gran Chaco	Bosque Tucumano- Boliviano	Andean Slopes	Gran Pantanal	Chiquitanía	White-water Floodplain	Andean Piedmont	Chapare	Valles Secos	Cloud Forest	High Andean
<i>Paspalum plicatulum</i> Michx.	H								+	+		
<i>Paspalum pygmaeum</i> Hackel	H	+	+									
<i>Paspalum repens</i> Bergius	H			+	+	+	+					
<i>Paspalum urvillei</i> Steudel	H			+	+							
<i>Paspalum vaginatum</i> Swartz	H					+	+					
<i>Paspalum virgatum</i> L.	H									+	+	
<i>Paspalum wrightii</i> Hitchc. & Chase	H										+	+
<i>Pennisetum clandestinum</i> Hochst. ex Chiov.	H											
<i>Phalaris angusta</i> Nees ex Trin.	H											
<i>Poa annua</i> L.	H	+	+									
<i>Poa gymnantha</i> Pilg.	H	+										
<i>Poa perligulata</i> Pilg.	H	+										
<i>Polypogon elongatus</i> Kunth ex. Humb.	H	+	+									
<i>Polypogon interruptus</i> Kunth	H	+	+									
<i>Polypogon monspeliensis</i> (L.) Desf.	H	+										
<i>Polypogon viridis</i> (Gouan) Breistr.	H	+	+									
<i>Reimarochoa aberrans</i> (Döll) Chase	H											+
<i>Reimarochoa acuta</i> (Flügge) Hitchcock	H											+
<i>Saccharum trinii</i> (Hack.) Renvoize	H											+
<i>Sacciolepis angustissima</i> (Hochst.) Kuhlm	H											+
<i>Sacciolepis myuros</i> (Lam.) Chase	H											+
<i>Sacciolepis vilvoidea</i> (Trin.) Chase	H											+
<i>Schizachyrium sulcatum</i> (Ekman) S.T. Blake	H											+
<i>Setaria parviflora</i> (Poir.) Kerguélen	H	+	+	+	+	+	+					+
<i>Setaria sphacelata</i> (Schumach.) M. B. Moss ex Stapf & C.E. Hubb.	H											+
<i>Sorghastrum nutans</i> (L.) Nash	H											+
<i>Sorghastrum setosum</i> (Griseb.) Hitchc.	H											+
<i>Sporobolus indicus</i> (L.) R. Br.	H											+
<i>Steinchisma hians</i> (Elliot) Nash ex Small	HP	+	+	+	+							
<i>Stenotaphrum secundatum</i> (Walter) Kuntze	H											+
<i>Urochloa fasciculata</i> (Sw.) R. Webster	H											+
<i>Urochloa mutica</i> (Forssk.) T. Q. Nguyen	H											+
Pontederiaceae												
<i>Eichhornia azurea</i> (Sw.) Kunth	HFS								+	+	+	+
<i>Eichhornia crassipes</i> (Mart.) SolmsLaubach	HFS								+	+	+	+
<i>Eichhornia diversifolia</i> (Vahl.) Urban	HS								+	+	+	
<i>Heteranthera limosa</i> (Sw.) Willd.	H								+	+	+	
<i>Heteranthera reniformis</i> C. Presl.	H								+	+	+	+

	Habit	Gran Chaco
<i>Heteranthera spicata</i> C. Presl.	H	
<i>Heteranthera zosterifolia</i> Mart.	HS	+
<i>Pontederia cordata</i> L.	H	+ + +
<i>Pontederia rotundifolia</i> L.f	HFS	+ + + + +
<i>Pontederia subovata</i> (Seubert in Martius) Lowden	H	+ + +
<i>Pontederia triflora</i> (Endl. ex Seub.) Agost. & Velásquez	HFS	+
Potamogetonaceae		
<i>Potamogeton gayii</i> A. Bennett	HS	+
<i>Potamogeton illinoensis</i> Morong	HS	+
<i>Potamogeton pusillus</i> L.	HS	+ + +
<i>Stuckenia filiformis</i> (Persoon) Börner	HS	+
<i>Stuckenia pectinata</i> (L.) Börner	HS	+
<i>Stuckenia striata</i> (Ruiz & Pavón) Holub	HS	+
Ruppiaceae		
<i>Ruppia filifolia</i> (Phil.) Skottsb.	HS	+
Typhaceae		
<i>Typha domingensis</i> Pers.	HP	+ + + + +
Xyridaceae		
<i>Abolboda grandis</i> Griseb.	H	+
<i>Abolboda pulchella</i> Bonpl.	H	
<i>Xyris aquatica</i> Idrobo & L. B. Smith	H	+
<i>Xyris atriceps</i> Malme.	H	+
<i>Xyris jupicai</i> L.	H	+ +
<i>Xyris lacerata</i> Pohl ex Seub.	H	+ +
<i>Xyris laxifolia</i> Mart. var. <i>laxifolia</i>	H	+ + +
<i>Xyris savanensis</i> Miq.	H	+ + +
Zannichelliaceae		
<i>Zannichellia palustris</i> L.	HS	+
Zingiberaceae		
<i>Hedychium coronarium</i> J. König	H	
<i>Renealmia alpinia</i> (Rottb.) Maas	H	+ +
<i>Renealmia aromatica</i> (Aubl.) Griseb.	H	+